

reStructuredText Support in Trac

Trac supports using *reStructuredText* (RST) as an alternative to wiki markup in any context [WikiFormatting](#) is used.

From the reStructuredText webpage:

"reStructuredText is an easy-to-read, what-you-see-is-what-you-get plaintext markup syntax and parser system. It is useful for in-line program documentation (such as Python docstrings), for quickly creating simple web pages, and for standalone documents. reStructuredText is designed for extensibility for specific application domains. "

Requirements

Note that to activate RST support in Trac, the python docutils package must be installed. If not already available on your operating system, you can download it at the [?RST Website](#).

More information on RST

- reStructuredText Website -- [?http://docutils.sourceforge.net/rst.html](http://docutils.sourceforge.net/rst.html)
- RST Quick Reference -- [?http://docutils.sourceforge.net/docs/rst/quickref.html](http://docutils.sourceforge.net/docs/rst/quickref.html)

Using RST in Trac

To specify that a block of text should be parsed using RST, use the *rst* processor.

TracLinks in reStructuredText

- Trac provides a custom RST reference-directive 'trac' to allow [TracLinks](#) from within RST text.

Example:

```
{{{
#!rst
This is a reference to |a ticket|

.. |a ticket| trac:: #42
}}}
```

For a complete example of all uses of the *trac*-directive, please see [WikiRestructuredTextLinks](#).

- Trac allows an even easier way of creating [TracLinks](#) in RST, using the custom *:trac:* link naming scheme.

Example:

```
{{{
#!rst
This is a reference to ticket `#12`:trac:

To learn how to use Trac, see `TracGuide`:trac:
}}}
```

Syntax highlighting in reStructuredText

There is a directive for doing [TracSyntaxColoring](#) in ReST as well. The directive is called `code-block`

Example

```
{{{
#!rst

.. code-block:: python

class Test:

    def TestFunction(self):
        pass

}}}
```

Will result in the below.

```
.. code-block:: python

class Test:

    def TestFunction(self):
        pass
```

Wiki Macros in reStructuredText

For doing [Wiki Macros](#) in ReST you use the same directive as for syntax highlighting i.e code-block. To work you must use a version of trac that has #801 applied.

Wiki Macro Example

```
{{{
#!rst

.. code-block:: RecentChanges

    Trac,3

}}}
```

Will result in the below:

01/10/14

- ◆ [TracSupport](#) (diff)
- ◆ [TracUpgrade](#) (diff)
- ◆ [TracSyntaxColoring](#) (diff)

Or a more concise Wiki Macro like syntax is also available:

```
{{{
#!rst

:code-block:`RecentChanges:Trac,3`
}}}
```

Bigger ReST Example

The example below should be mostly self-explanatory:

```
{{{
#!rst
FooBar Header
=====
reStructuredText is nice. It has its own webpage_.

A table:
```

```

=====  =====  =====
      Inputs      Output
-----
      A          B    A or B
=====  =====  =====
False  False  False
True   False  True
False  True   True
True   True   True
=====  =====  =====

```

RST TracLinks

See also ticket `#42`:trac:.

```

.. _webpage: http://docutils.sourceforge.net/rst.html
}}}
```

Results in:

FooBar Header

=====

reStructuredText is *nice*. It has its own webpage_.

A table:

```

=====  =====  =====
      Inputs      Output
-----
      A          B    A or B
=====  =====  =====
False  False  False
True   False  True
False  True   True
True   True   True
=====  =====  =====

```

RST TracLinks

See also ticket `#42`:trac:.

```

.. _webpage: http://docutils.sourceforge.net/rst.html
```

See also: [WikiRestructuredTextLinks](#), [WikiProcessors](#), [WikiFormatting](#)